

BLS COVID-19

Assessment

Non-Transport (Leave or Send Home)

Vital Signs

Temperature < 40° C (104°F)	Heart Rate < 110
Respirations < 22	Blood Pressure ≥ 100/p
SpO2 ≥ 95% (If available)	No decreased LOC

Medical History

Age < 60 years	No lung <u>OR</u> heart disease
No diabetes	Not immunocompromised
Not pregnant	

If not transported, complete the following: Leave a Patient Information Sheet & Symptom Monitoring Tracker Sheet with instructions to record signs and symptoms. Patient should contact their primary care physician

Is home care suitable for the patient?
(See Back)

ALS Evaluation

Temperature ≥ 40° C (104°F)
Heart Rate > 120
Respirations < 8 or >30
Blood Pressure < 90/p
SpO2 < 90%
Decreased LOC

BLS Consultation

If any single vital sign or criterion outside “Non-Transport” parameters (and not meeting ALS criteria) requires consultation.

Call the *Seattle Fire COVID-19 Consult Line at 206-386-XXXX* to determine whether the patient may remain at home or needs a BLS transport. If no answer, call FAC to page M44.

If responding to any symptomatic Healthcare Provider (HCP), call the number above to determine whether the patient may remain at home.

BLS COVID-19 Assessment



Suitability Assessment for Home Care

- Appropriate caregivers are available, if needed
- The patient is competent and consents to non-transport
- There is a separate bedroom where the patient can recover without sharing immediate space with others
- Access to food, water, and other necessities
- There are no household members at high risk of complications (see “Medical History” section on Front)

If Sending Home from a Public Location

- Place surgical mask on patient
- Have patient transport themselves home while minimizing exposure to others
- Discourage public transportation